








| REVISION HISTORY | | | | | |
|------------------|------|------|--------------------|----------|--------|
| ECO | ZONE | REV. | DESCRIPTION | DATE | APPR'D |
| | | A | PRODUCTION RELEASE | 06.02.17 | TL |




4X DETAIL A
SCALE 2 : 1




1. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
NOTES: UNLESS OTHERWISE SPECIFIED.

| | | | | |
|--|----------|------------|---------|---|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS (INCHES) | | ENGR BY | 01NOV16 | PLANAR PLANAR SYSTEMS, INC. 1195 NW COMPTON DRIVE BEAVERTON, OR 97006 USA |
| TOLERANCES: | | DRAWN BY | TEL | |
| X= ±1 | XX= ±.25 | CHECKED BY | | TITLE |
| .X= ±.5 | ∠= ±1° | USED ON | | CARBONLIGHT OUTDOOR LED DISPLAY OUTLINE |
| DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994 | | MATERIAL | | SIZE |
| THIRD ANGLE PROJECTION | | FINISH | | D |
| | | | | PART NO |
| | | | | CLO- |
| | | | | DRAWING NO |
| | | | | CLO OUTLINE- |
| | | | | REV |
| | | | | A |
| | | | | SCALE |
| | | | | 1:4 |
| | | | | DO NOT SCALE |
| | | | | SHEET |
| | | | | 1 OF 4 |

THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO PLANAR SYSTEMS, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF PLANAR SYSTEMS IS PROHIBITED. THIS DRAWING IS SUPPLIED FOR INFORMATION, IDENTIFICATION, ENGINEERING, EVALUATION, AND/OR INSPECTION PURPOSES ONLY AND MAY NOT BE USED AS BASIS FOR THE MANUFACTURING OF PRODUCTS OR THE FURNISHING OF SERVICES TO PLANAR SYSTEMS OR TO ANY THIRD PARTY UNLESS AUTHORIZED IN WRITING BY PLANAR SYSTEMS.




FA SERIES HANGING BRACKET



44.4-50.8mm (1.75" - 2") OUTSIDE DIAMETER RECOMMENDED


AM SERIES HANGING BRACKET




SAFE WORKING LOAD - 300KG

SAFE WORKING LOAD - 300KG

FA SERIES TILE BRACKET



AM SERIES TILE BRACKET



1. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
NOTES: UNLESS OTHERWISE SPECIFIED.